NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date) 3/15/00 are:

A. paperoved by the Draftsperson under 37 CFR 1.84 or 1.152.

B. of jected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the back of this notice.

S. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i) Words do not appear on a horizontal, left-to-right fashion when page is either apright or turned so that the top becomes the tight side, except for graphs. Fig(s) 9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES. NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas paie. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 15. 150
when page is either apright or turned so that the top becomes the right side, except for graphs. Fig(s) 9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible.
9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING, 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s)
9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES. NUMBERS. & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 440
Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING, 37 CFR 1.84(m) Solid black areas paie. Fig(s) Solid black areas paie. Fig(s) Solid black shading not permitted. Fig(s) 3.7 Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 4.5 4.60
Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES. NUMBERS, & LETTERS. 37 CFR 1.84(i) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Very Solid black shading not permitted.
reproduction. Fig(s) 10. CHARACTER OF LINES. NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 440
reproduction. Fig(s) 10. CHARACTER OF LINES. NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 440
Fig(s) 10. CHARACTER OF LINES. NUMBERS, & LETTERS. 37 CFR 1.84(I) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 460
10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(1) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING, 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 3 7 Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 440
Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible.
Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible.
Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 45 46
Fig(s) 11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 37 Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 450.
11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 3.7 Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45.45
11. SHADING. 37 CFR 1.84(m) Solid black areas paic. Fig(s) Solid black shading not permitted. Fig(s) 3 7 Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 450
Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 3.7 Shade lines, pale, rough and blurred. Fig(s) NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 4.5 4.6 5.6
Solid black shading not permitted. Fig(s) 3.7 Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) 45 450
12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible.
12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible.
37 CFR 1.84(p) Numbers and reference characters not plain and legible.
Numbers and reference characters not plain and legible.
Numbers and reference characters not plain and legible.
Fig(s) 45 48 51, 56
100 -1-1-10 1 Je
Figure legends are poor. Fig(s) 22 - 410,45 - 9 Numbers and reference characters not oriented in the 676 same direction as the view. 37 CFR 1.84(p)(1)
commercia and reference characters not oriented in the
same direction as the view. 37 CFR 1.84(p)(1)
Fig(s)
Fig(s) English alphabet not used. 37 CFR 1.84(p)(1) — English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at least .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s)
Figs
Numbers, letters and reference characters must be at least
.32 cm (1/8 inch) in height. 37 CFR 1.84(μ)(3)
Fig(s)
3. LEAD LINES. 37 CFR 1.84(q)
Lead lines gross and
Lead lines cross each other. Fig(s)
Lead lines missing. Fig(s)
NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(I)
NOMBERING OF VIEWS 37 CFD 1 84(a)
Views not numbered consecutively, and in A and
CORRECTIONS. 37 CFR 1.84(w)
Corrections not made form
Corrections not made from prior PTO-948
DESIGN DRAWINGS
DESIGN DRAWINGS, 37 CFR 1.152
Surface shading shown not appear to pro-
Solid black shading not used for color contract
Fig(s)
C(m) 96 5
ELED AS FIG. 1A-1L
11 Fig. 2A 2a
dant un
FLED AS FIG. 1A - 1C FIG. 2A,ZB HA-1, YA-2 AND SO-ON UNTIL
SAME WITH
SAME WITH FIG. 7
-B
91
<u> </u>
- (00
110
_
22 TELEPHONE NO. 703 305 8430
= /

REMINDER

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A, Fig. 1B, Fig.1C, etc., the specification, at the Brief Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

New corrected drawings must be filed with the changes indeptorated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the cynnergia. If provided drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be found within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extendious of time may NOT be obtained under the provisions of 37 CFR 1.136(a) with for filing the content of an along after the mailing of a Notice of Allowability. The drawing should be filed as a separate paper with a transmittal letter addresses to the Official Draftsperson.

2. Corrections other than Informalities Noted by Oraftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Do fisperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the enaminer before the application will be allowed. No changes will be permitted to be made, other than correct in of informalities, unless the examiner has approved the proposed change.

Timing of Corrections

Applicant is required to submit the drawings corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result a. ABANDONMENT of the application.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.